

Topographic Anatomy of the Head


1. Basic concepts of topographical anatomy
2. Topographical anatomy of the head:
 - ✓ head regions
 - ✓ base of the skull – internal surface
 - ✓ facial regions – lateral aspect of the head
3. Anterior aspect of the head – major cavities:
 - ✓ orbital region
 - ✓ nasal region, paranasal sinuses
 - ✓ oral region



Aims and scope

Basic principles
and its relation to
clinical anatomy

Cross-Sectional Anatomy



Topographic anatomy

■ Definition of topographic anatomy:

- ✓ the study of anatomy based on regions or divisions of the body and emphasizing the relations between various structures in that region


■ Related to:

- ✓ clinical practice
- ✓ surgical diagnosis and treatment (operative surgery)

■ Major approach – regional dissection

■ Synonyms:

- ✓ Regional anatomy
- ✓ Topology



Body Explorer

web edition

Body Explorer 3.0

Body Explorer - Cross-Sectional Anatomy of the Visible Human - Mozilla Firefox

Файл Редактиране Иглед История Отметки Инструменти Помощ

Body Explorer - Cross-Sectional Anatomy of ...

http://www.body-explorer.net/

Google

Body Explorer
web edition


English

Male

About us



Cornea
Lens
Vitreous body
Optic nerve
Zygomatic bone (Frontal process)
Orbital fat body
Lateral rectus
Temporalis
Sphenoid bone (Greater wing)
Sphenoid bone (Lesser wing)
Squamous suture
Superficial temporal artery and vein
Temporal bone (Squamous part)
Temporal lobe
Squamous suture
Parietal bone
White matter
Cerebral cortex
Lambdoid suture
Occipital lobe



Angular vein
Nasal bone
Maxilla (Frontal Process)
Nasal cavity
Ethmoid bone (Perpendicular plate)
Medial rectus
Ethmoidal cells
Subthalamus
Parahippocampal gyrus
Third ventricle
Habenular commissure
Hippocampus
Lateral ventricle (Temporal (Inferior) horn)
Caudate nucleus (Tail)
Collateral trigone
Vermis of cerebellum
Longitudinal cerebral fissure
Cerebral falx
Superior sagittal sinus
Occipital bone (Squamous part)



352

- Arteriae
- Cranium
- Meninges
- Musculi
- Ossa
- Systema cardiovascular
- Systema digestorum
- Systema nervosum centrale
- Systema respiratorium
- Systema visuale
- Textus connectivus




Aims and scope

Basic principles
and its relation to
clinical medicine

Clinical Anatomy

Clinical
Anatomy




Topographic anatomy vs. Clinical anatomy

- **Definition of clinical anatomy:**
 - ✓ the practical application of anatomical knowledge to diagnosis and treatment
 - ✓ anatomy applied to patient care
- **The basis of clinical examination in:**
 - ✓ medicine
 - ✓ dental medicine
- **Teaching and learning approach:**
 - ✓ regional and systemic dissection
 - ✓ surgical and anatomy imaging techniques
- **Synonym – Applied anatomy**

head vs. face



head vs. facial regions

Margaret J. Fehrenbach • Susan W. Herring
Illustrated Anatomy
of the Head and Neck





Head, *caput*

- inferior boundary:
 - ✓ *protuberantia mentalis mandibulae*
 - ✓ *basis mandibulae* to *proc. mastoideus*
 - ✓ *linea nuchalis (nuchae) superior*
 - ✓ *protuberantia occipitalis externa*
- head regions, *regiones capitis*
- facial regions, *regiones faciei* (anterior and lateral)




Head, *caput*

- Skull, *cranium*
- Brain, *encephalon*
- Meninges, *meninges*
- Sense organs,
organa sensuum (sensoria)
- Cranial nerves,
nn. craniales
- The first parts of:
 - ✓ digestive system –
oral cavity, *cavitas oris*
 - ✓ respiratory system
– nose, *nasus (ep. rhis, rhinos)*




Anthropologic landmarks of the skull – anterior view:

- ✓ **Frons** – the most prominent point of the forehead in the midline
- ✓ **Nasion** – the midpoint of the sutures of the frontal and nasal bones or the point of intersection of the nasofrontal suture in the anterior-midline
- ✓ **Glabella** – the most prominent point of the forehead, which occurs in the anterior midline at the lower margin of the frontal bone
- ✓ **Gnathion** – the midpoint on the lower border of the mandible in the midsagittal plane
- ✓ **Progonion** – the most anterior point on the chin in the midline
- ✓ **Gonion** – the most lateral point on the angle made by the body and ascending ramus
- ✓ **Zygion** – the most lateral point on the zygomatic arch




Anthropologic landmarks of the skull – lateral view

- ✓ **Vertex** – highest point on the convexity of the calvarium
- ✓ **Occiput** – the posterior (back) portion of the head or skull
- ✓ **Frons** – the most prominent point of the forehead in the midsaggital plane
- ✓ **Gnathion** – the midpoint of *basis mandibulae*
- ✓ **Gonion** – the most prominent point of *angulus mandibulae*
- ✓ **Zygion** – the most prominent point of *arcus zygomaticus*
- ✓ **Pterion** – the midpoint of the *sutura sphenoparietalis*
= *fonticulus sphenoidalis*
- ✓ **Asterion** – the point where the temporal, parietal and occipital bones meet
= *fonticulus mastoideus*






Anthropologic landmarks of the skull – posterior view

- ✓ **Lambda** – point of juncture of the left and right lambdoidal sutures and superior sagittal suture = *fonticulus posterior s. minor* (JNA)
- ✓ **Inion** – the most prominent point in the posterior aspect of the occipital calvarium = *protuberantia occipitalis externa*
- ✓ **Asterion** –
the point where the temporal, parietal and occipital bones meet corresponding to the posterior end of the parietomastoid suture = *fonticulus posterolateralis (mastoideus)*



Anthropologic landmarks of the skull vault

- ✓ **Vertex** = highest point on the convexity of the calvarium
- ✓ **Bregma** = point of juncture of the left and right coronal sutures and the superior sagittal suture = *fonticulus anterior s. major* (JNA)
- ✓ **Lambda** = point of juncture of the left and right lambdoidal sutures and superior sagittal suture = *fonticulus posterior s. minor* (JNA)
- ✓ **Inion** = the most prominent point in the posterior aspect of the occipital calvarium = *protuberantia occipitalis externa*






Regions of the head

■ *Regiones capitis:*

- ✓ *regio frontoparietooccipitalis:*
 - *regio frontalis*
 - *regio parietalis*
 - *regio occipitalis*
- ✓ *regio temporalis*
- ✓ *regio infratemporalis*
- ✓ *regio mastoidea*
- ✓ *regio auricularis*
- ✓ *basis cranii:*
 - *basis crani interna*



location

layers





Frontal-parietal-occipital region

- boundaries:

- ✓ anterior – supraorbital margin
- ✓ lateral – *linea temporalis superior*
- ✓ posterior – along *linea nuchae superior* until *protuberantia occipitalis externa*

- surface anatomy – 5 layers:



- ✓ skin – thick and hairy with numerous sebaceous glands (cysts)
- ✓ subcutaneous tissue – richly vascularized
- ✓ epicranial aponeurosis – *m. epicranius* and *galea aponeurotica*
- ✓ loose areolar tissue
- ✓ **periosteum (pericranium)**
- ✓ bones – *squama frontalis*, *os parietale*, *squama occipitalis*
- ✓ **dura mater encephali** *sinus sagittalis superior*
 sinus sagittalis inferior



Soft tissue (scalp)

Soft tissues

(scalp)



Human Anatomy Education

Clinical relevance

- skin:



Tinea capitis
(Ringworm of the scalp)




- subcutaneous tissue:

- ✓ scalp lacerations
- ✓ hemorrhages ⇒ sutures

- subaponeurotic space:


- ADAM. ✓ subgaleal hemorrhage or subperiostal hematoma




UNIVERSITÄT WÜRZBURG
FACHSCHULE FÜR MEDIZINISCHE
TECHNIK UND INFORMATIK
http://dermis.net

- pericranium:

- ✓ poor osteogenic ability:
craniotomy ⇒ metal (titanium) plates



✓ **six bundles**





Frontal-parietal-occipital region

Neurovascular bundles:

- ✓ frontal – medial and lateral:
 - *a., v. et n. supratrochlearis*
 - *a., v. et n. supraorbitalis*
- ✓ temporal – anterior and posterior:
 - *a. et v. temporalis superficialis*
 - *n. auriculotemporalis*
- ✓ occipital:
 - *a. et v. occipitalis*
 - *n. occipitalis major*
- ✓ retroauricular:
 - *a. et vv. auricularis posterior*
 - *n. occipitalis minor*

Lymphatic vessels:


- ✓ *nodi lymphatici parotidei*
- ✓ *nodi lymphatici retroauriculares*
- ✓ *nodi lymphatici occipitales*




location

layers

Temporal fossa





Temporal fascia



Temporal region


- boundaries
(boundaries of *temporalis muscle*):
 - ✓ inferior boundary – zygomatic arch
 - ✓ anterior, superior and posterior – superior temporal line
- surface anatomy:
 - ✓ skin – thin and partly hairy
 - ✓ subcutaneous tissue – less prominent:
mm. auriculares anterior et superior
⇒ neurovascular complex –
a. et v. temporalis superficialis,
n. auriculotemporalis
n. zygomaticotemporalis (n. maxillaris)
 - ✓ superficial fascia – continuation of the epicranial aponeurosis
 - ✓ temporal fascia – two distinct sheets
⇒ interfascial temporal space – fat tissue
 - ✓ subaponeurotic fat tissue
 - ✓ temporalis muscle ⇒
aa., vv. et nn. temporales profundi
 - ✓ indistinct periosteum and bone –
squama temporalis ⇒ *a. meningea media*



location


layers

Infratemporal fossa



Infratemporal (deep temporal) region


- location:
 - ✓ infratemporal fossa
 - ✓ pterygopalatine fossa
 - content:
 - ✓ pterygoid muscles, medial and lateral
 - ✓ pterygoid venous plexus – in the upper part of the region
 - ✓ maxillary artery – mandibular part, pterygoid part and pterygopalatine part
 - ✓ mandibular nerve and its branches in *interstitium interpterygoideum*:
 - otic ganglion ⇒ parotid gland
 - motor branches ⇒ masticatory muscles
 - sensory branches – longer
 - ✓ part of the buccal adipose body (Bichat's fat pad)



content

passageways

Pterygopalatine fossa




Pterygopalatine fossa


■ content:

- ✓ the third pterygopalatine part of maxillary artery ⇒ infraorbital artery
 - ✓ venous vessels – part of the pterygoid venous plexus
 - ✓ maxillary nerve,
pterygopalatine ganglion

- **passageways** – openings and channels:





Passageway	Comes from...	Transmitted structures
Foramen rotundum	Middle cranial fossa	<ul style="list-style-type: none"> • Maxillary nerve (CN V₂)
Pterygoid canal	Base of the skull (inferior aspect)	<ul style="list-style-type: none"> • Nerve of pterygoid canal (greater and deep petrosal nerves) • Artery of pterygoid canal with accompanying veins
Greater palatine canal	Palate	<ul style="list-style-type: none"> • Greater palatine nerve • Descending palatine artery • Greater palatine artery
Lesser palatine canals	Palate	<ul style="list-style-type: none"> • Lesser palatine nerves • Lesser palatine arteries (terminal branches of descending palatine arteries)
Sphenopalatine foramen	Nasal cavity	<ul style="list-style-type: none"> • Sphenopalatine artery (and accompanying veins) • Medial and lateral superior and inferior posterior nasal branches (from nasopalatine nerve, CN V₂)
Inferior orbital fissure	Orbit	<ul style="list-style-type: none"> • Infraorbital nerve • Zygomatic nerve • Orbital branches (from CN V₂) • Infraorbital artery (and accompanying veins) • Inferior ophthalmic vein



location




layers

Regio mastoidea



Mastoid region

- boundaries (correspond to the contour of the mastoid process):
 - ✓ a triangle with a base upwards
- surface anatomy:
 - ✓ skin – thinner and firm fixed
 - ✓ subcutaneous tissue – less prominent:
 - ⇒ *m. auricularis posterior*
 - ⇒ *a. et vv. auriculares posteriores*
 - ⇒ *nodi lymphatici auriculares postt.*
 - ✓ fascia – thinner end portion of epicranial aponeurosis (*galea aponeurotica*)
 - ✓ periosteum – firm fixed
 - ✓ trepanation triangle (triangle of *Chipault*)
 - ⇒ sigmoid sinus; facial canal
 - ✓ bone – mastoid process (mastoid air cells and mastoid antrum)
 - ⇒ *mastoiditis*



Infection of mastoid air cells (mastoiditis)

location




layers

Regio auricularis



Auricular region

- area of:
 - ✓ pinna or auricle, *auricula*
 - ✓ ear canal, *meatus acusticus externus*
- surface anatomy – auricle:
 - ✓ thin skin with fine hairs
 - ✓ perichondrium
 - ✓ elastic fibrocartilage
 - ✓ rudimentary muscles
 - ✓ sensory innervation:
 - trigeminal nerve
 - facial nerve
 - glossopharyngeal and
 - vagus nerves
 - cervical plexus



location

layers




Regio auricularis



Auricular region

- surface anatomy – ear canal:

- ✓ cartilaginous part
 - outer $\frac{1}{3}$ (~8 mm long), *cartilago meatus acustici*
- ✓ osseous part
 - inner $\frac{2}{3}$ (~16 mm long), *meatus acusticus externus*
- ✓ thin skin
- ✓ the thicker cerumen-producing ear canal skin has fine hairs, *tragi*
- ✓ sebaceous glands \Rightarrow in the hair follicles
- ✓ ceruminous glands \Rightarrow ear wax, *cerumen*



Linear scheme of craniocerebral topography

- Craniocerebral topography after Krönlein:

- ✓ two horizontal lines:

- upper line (OH) – posterior branch of middle meningeal artery
 - lower line (DH)

- ✓ three vertical lines:




- anterior – zygomatic arch ⇒ trunk of middle meningeal artery
 - middle – temporomandibular joint
 - posterior – mastoid process

- ✓ upper diagonal of the scheme:

- central sulcus (fissure of Rolando)
 - precentral gyrus
 - anterior branch of middle meningeal artery

- ✓ lower diagonal of the scheme:

- lateral sulcus (Sylvian fissure)



Basis cranii

Basis cranii externa





Basis cranii interna

Basis cranii interna



Base of skull, *basis cranii*

- *basis cranii interna*
 - *basis cranii externa:*
 - ✓ rostral – facial region
 - ✓ caudal – neck region
 - *dura mater encephali:*
 - ✓ *diaphragma sellae*
 - ✓ *cavum trigeminale (Meckel)*



✓ sinus durae matris


Thomas Willis

(1621-1675)





Circulus arteriosus cerebri (Willis)

- **Vertebrobasilar system:**
 - ✓ vertebral arteries ⇒ basilar artery
 - **Carotid system:**
 - ✓ internal carotid artery
 - (cerebral part):
 - anterior cerebral artery
 - middle cerebral artery
 - **Circle of Willis:**
(heptagon of Willis)
 - ✓ anterior communicating artery
 - ✓ anterior cerebral arteries
 - ✓ posterior communicating arteries
 - ✓ posterior cerebral arteries




Basis cranii interna

Fossae cranii





Cranial fossae

- anterior cranial fossa
- middle cranial fossa
- posterior cranial fossa



Anterior cranial fossa

- Frontal lobes of the brain



Fossa cranii anterior

- ✓ **Pars orbitalis
ossis frontalis**
 - ✓ **Lamina cribrosa
ossis ethmoidalis**
 - ✓ **Ala minor
ossis sphenoidalis**





Brillenhaematom

Middle cranial fossa

- Temporal lobes of the brain

Fossa cranii media

- ✓ Sella turcica
- ✓ Ala major ossis sphenoidalis
- ✓ Pars petrosa (pyramis) ossis temporalis
- ✓ Squama temporalis




J. Netter
M.D.
IBN

- Cavernous sinus

- Pituitary gland


Prof. Dr. Nikolai Lazarov



Fossa cranii posterior


✓ **Pars petrosa ossis temporalis – posterior surface**

✓ **All parts of os occipitale, incl. clivus**



Posterior cranial fossa

- Cerebellar hemispheres



- Medulla oblongata and pons

J. Netter
M.D.
IBN

Prof. Dr. Nikolai Lazarov

head vs. face

**head vs. face
regions**




Face, facies

- boundaries:



- ✓ *glabella* ⇒ supraorbital margin
- ✓ zygomatic arch ⇒ mandibular angle
- ✓ mandibular base down to the chin

- bone-muscle points:

- ✓ *nasus, margo infraorbitalis, angulus oris, m. masseter, angulus et ramus mandibulae, protuberantia mentalis, os zygomaticum*



*Triangular danger
zone in the face*





Regions of the face, *regiones faciei*


- Facial regions:

✓ lateral facial regions:


- zygomatic region
 - infraorbital region
 - mental region
 - buccal region
 - parotid-masseter region

✓ anterior facial regions:

- orbital region
 - nasal region
 - oral region






Regio facialis lat.





Lateral facial region

- Surface anatomy:
 - ✓ skin – thin, movable and hairy
 - ✓ subcutaneous tissue – fat tissue
 - ⇒ mimic muscles (SMAS)
 - motor innervation – facial nerve
 - ✓ blood supply – rich:
 - *a. facialis*
 - *a. temporalis superficialis*
 - *a. maxillaris*
 - ✓ venous drainage:
 - *v. facialis* ⇒ *v. facialis communis*
 - *v. temporalis superficialis*
 - *plexus venosus pterygoideus*
 - ✓ lymphatic drainage:
 - *nodi lymphatici submandibulares*
 - *nodi lymphatici submentales*
 - *nodi lymphatici buccales, parotid et retroauriculares*



N. trigeminus

- ✓ *n. ophthalmicus*
 - ✓ *n. maxillaris*
 - ✓ *n. mandibularis*



Sensory innervation of the face

■ *N. trigeminus:*

- ✓ *n. ophthalmicus (n. frontalis)*:

- ## ➤ *n. supraorbitalis*

- ## ➤ *n. supratrochlearis*

- branches of *n. nasociliaris*

- branches of *n. lacrimalis*

- ## ✓ *n. maxillaris:*

- ## ➤ *n. infraorbitalis*



- *n. zygomaticofacialis*

- *n. zygomaticotemporalis*

- ## ✓ *n. mandibularis*:

- ## ➤ *n. mentalis*

- *n. buccalis*



location




layers

Bone fractures



Zygomatic region


- boundaries – boundaries of the zygomatic bone
- surface anatomy – layers:
 - ✓ skin – thin and fine
 - ✓ subcutaneous tissue – abundant adipose tissue
 - ✓ muscle layer:
 - orbicularis oculi muscle
 - zygomaticus major and minor muscles
 - ✓ innervation:
 - infraorbital nerve
 - zygomaticofacial nerve
- *os zygomaticum*
 - ✓ *bipartitum et multipartitum* (*os japonicum*)



location



layers

**TBC
osteomyelitis**



Infraorbital region


- boundaries:
 - ✓ superior – infraorbital margin
 - ✓ inferior – gingivobuccal fold
 - ✓ medial – nasolabial sulcus
 - ✓ lateral – zygomatic region
- surface anatomy – layers:
 - ✓ skin – thin and fine
 - ✓ subcutaneous tissue – well developed fat tissue
 - sensory nerves – infraorbital nerve
 - motor nerves – *rr. buccales n. facialis*
 - facial artery and vein \Rightarrow anastomoses
 - ✓ muscle layer:
 - $m. orbicularis oculi$
 - $m. caninus$
 - $m. levator labii superioris$
 - $m. levator labii sup. alaeque nasi$
 - ✓ bone ground – *fossa canina*
 \Rightarrow infraorbital foramen
 - (infraorbital artery, vein and nerve)



location



layers

Regio mentalis



Mental region

- boundaries:
 - ✓ superior – gingivobuccal fold
 - ✓ inferior – mandibular base
- surface anatomy:
 - ✓ skin – thick and hairy, abundance of sebaceous glands
 - ✓ subcutaneous tissue – lobular appearance
 - ⇒ fibrous bundles
 - ⇒ mimic muscle bundles
 - ✓ muscle layer:
 - *m. depressor anguli oris*
 - *m. depressor labii inferioris*
 - *m. mentalis, m. transversus menti*
 - ✓ *a. et v. facialis*, lymph node
 - ✓ *a. labialis inferior et a. mentalis*
 - ✓ sensory innervation – *n. mentalis*
 - ✓ motor innervation – *ramus marginalis mandibulae (n. facialis)*
 - ✓ bone ground – mandible



location



layers

Regio buccalis



Buccal region


- boundaries – the buccal soft tissue without bone ground:
 - ✓ superior – zygomatic region and infraorbital region
 - ✓ inferior – mental region
 - ✓ anterior – oral angle
 - ✓ posterior – anterior border of masseter
- surface anatomy:
 - ✓ skin – fine and pink, hairy
 - ✓ subcutaneous tissue – well-developed and age-varying fat tissue
 - ✓ buccal adipose body (Bichat's fat pad)
 - ✓ *m. risorius*
 - ✓ facial artery and vein
 - ✓ sensory innervation – *n. buccalis*, *n. mentalis*, *n. infraorbitalis*
 - ✓ motor innervation – *rami buccales n. facialis*
 - ✓ muscle layer – *mm. zygomatici*, *m. buccinator*, *fascia buccopharyngea*
 - ✓ buccal mucosa – parotid duct
eponym – Stenon (Stensen's) duct



location

layers




Regio parotideo-masseterica



Parotid-masseter region

- boundaries:
 - ✓ superior – zygomatic arch
 - ✓ inferior – mandibular base and angle
 - ✓ anterior – anterior border of masseter
 - ✓ posterior – external acoustic porus and mastoid process



- surface anatomy:
 - ✓ skin – relatively thick and hairy
 - ✓ subcutaneous tissue – abundant fat tissue
 - ⇒ branches of *n. auricularis magnus*
 - ⇒ *nodi lymphatici parotidei superficiales et profundi*
 - ✓ *fascia parotidea et masseterica*
 - ✓ *a. et v. temporalis superficialis, n. auriculotemporalis*
 - ✓ *a. auricularis posterior, r. auricularis n. facialis*
 - ✓ *ductus parotideus, a. et v. transversa faciei*
 - ✓ *n. facialis* ⇒ *plexus intraparotideus*
 - ✓ *v. retromandibularis*
 - ✓ *carotid bifurcation* – end branches
 - ✓ ***m. masseter***
 - ✓ *a., v. et n. massetericus*



location




structure

Glandula parotis



Parotid gland, *glandula parotidea (parotis)*



- Location –
retromandibular fossa:
 - ✓ in front – *ramus mandibulae*,
m. pterygoideus medialis,
m. masseter
 - ✓ behind – *proc. mastoideus*,
m. sternocleidomastoideus
 - ✓ below – *m. stylohyoideus*,
venter posterior m. digastrici
 - ✓ medial – *proc. styloideus*,
⇒ *m. styloglossus*,
⇒ *m. stylopharyngeus*
 - *parotid fascia* – superficial
and deep laminae
 - end branches of
 - a. *temporalis superficialis*
 - n. *facialis* ⇒ *plexus parotideus*






Facial regions: clinical significance

- ✓ Trigeminal neuralgia (tic douloureux)





- ✓ Paralysis of facial muscles –
Bell palsy








Trigeminal Neuralgia
Sudden, stabbing, shocking facial pain
that seems to come from nowhere.








Facial regions: clinical significance




Facial regions: clinical significance



location



structure

Oculus



Orbital region



- boundaries – boundaries of the orbit:
 - ✓ superficial (palpebral) layer
 - ✓ deep layer – orbit
 - ✓ divided by orbital septum
- palpebral layer – surface anatomy:
 - ✓ palpebral skin – thin and fine; sebaceous (Zeis) glands, tarsal (Meibom) glands, ciliary (Moll) glands
 - ✓ subcutaneous tissue – sparse, loose connective tissue ophthalmic nerve, infraorbital nerve angular artery, superficial temporal artery
 - ✓ muscle layer – orbicularis oculi muscle
 - ✓ fibrous tissue layer – orbital septum, tarsal plate
 - ✓ conjunctiva – fornix
- lacrimal pathways:
 - ✓ *puncta lacrimalia, superius et inferius*
 - ✓ *canaliculi lacrimales* \Rightarrow *saccus lacrimalis*
 - ✓ *m. lacrimalis, lig. palpebrale mediale*
 - ✓ *ductus nasolacrimalis* \Rightarrow inferior nasal meatus



location

structure



Orbita



Orbit



- walls of the orbit:

- ✓ superior ⇒ frontal sinus
⇒ anterior cranial fossa ("Brillenhaematom")
- ✓ inferior ⇒ maxillary sinus
- ✓ medial (internal) ⇒ nasal cavity
⇒ ethmoid cells, orbital plate (*lamina orbitalis s. papyracea*)
- ✓ lateral (external) – thickest



- contents:


- ✓ eye ball, *bulbus oculi*
- ✓ accessory structures:
 - extraocular muscles
 - lacrimal gland, *gl. lacrimalis*
- ✓ adipose body of the orbit, *corpus adiposum orbitae*
- ✓ optic nerve, *n. opticus*



location

structure

Orbita



- upper level – between the orbital roof and the levator palpebrae superioris:



- ✓ frontal, trochlear & lacrimal nerves
- ✓ supraorbital, supratrochlear and lacrimal arteries and veins

- middle level – between the superior rectus and the optic nerve:

- ✓ nasociliary nerve, superior branch of oculomotor, and abducent nerves
- ✓ ciliary ganglion
- ✓ ophthalmic artery, superior ophthalmic veins

- lower level – between the optic nerve and the orbital floor:


- ✓ inferior branch of oculomotor nerve, infraorbital and zygomatic nerves
- ✓ infraorbital artery, inferior ophthalmic vein



location


structure

Nasus (rhis, rhinos)






Nasal region

- boundaries:
 - ✓ superior – medial parts of the eyebrows
 - ✓ inferior – line of attachment of nasal septum
 - ✓ lateral – nasolabial sulcus
- external nose, *nasus externus* – bone and cartilaginous parts:
 - ✓ skin – varying in thickness and mobility in its root, ala and apex
 - ✓ subcutaneous tissue – no fat tissue
 - m. compressor nares, m. procerus, m. levator labii superioris alaeque nasi a. dorsalis nasi, branches of a. facialis and a. ethmoidalis anterior, v. facialis*
 - ✓ sensory innervation – infratrochlear nerve (root), *n. ethmoidalis anterior*
- nasal cavity, *cavum (cavitas) nasi*:
 - ✓ vestibule of nose, *vestibulum nasi*
 - ✓ nasal cavity proper – walls, meatuses and content, *cavum nasi osseum*



Nose – clinical significance


- *rhinoscoliosis*
- *rhinolordosis* – saddle nose
- *rhinokyphosis* – a hump deformity of the nose
- *rhinophyma*
- nasal trauma and fracture (broken nose)
- basal cell skin cancer of the nose
- anomalies of the external nose



location



structure

Sinus paranasales






Paranasal sinuses, *sinus paranasales*



- ✓ maxillary sinus
(*antrum Highmori*)
- ✓ frontal sinus
- ✓ ethmoidal sinus
- ✓ sphenoidal sinus



Clinical relevance





- inflammation – *sinuitis*
- tumors, cysts
- sinus drainage
- damage of neighboring structures



location





structure

Regio oralis



Oral region


- boundaries:
 - ✓ superior – line of attachment of nasal septum
 - ✓ inferior – mentolabial sulcus
 - ✓ lateral – nasolabial crease
- lips, *labia oris*:
 - ✓ skin – thin and hairy
 - ✓ vermillion border (reddish area)
 - ✓ muscle layer – orbicularis oris muscle
 - ✓ oral mucosa – labial glands, vessels and nerves
- oral vestibule, *vestibulum oris*:
 - ✓ *frenula labiorum, superius et inferius*
 - ✓ *parotid papilla* ⇌ parotid duct



location





structure

Regio oralis



Oral region



- oral cavity proper, *cavitas oris*
- palate, *palatum* – hard and soft
- palatine tonsil, *tonsilla palatina*:
 - ✓ tonsillar fossa ⇒ supratonsillar fossa
- oral floor, *diaphragma oris*:
 - ✓ *m. mylohyoideus*, *m. geniohyoideus*
 - ✓ *m. genioglossus*, *m. hyoglossus*, *m. styloglossus*
- tongue, *lingua* (Gr. γλασσα, *glossa*)
- lingual nerve, glossopharyngeal nerve
- lingual artery, deep lingual vein



location

structure





Lingua



Tongue, *lingua*

- *dorsum linguae:*
 - ✓ *papillae linguales*
 - ✓ *tonsilla lingualis*

- *facies inferior:*
 - ✓ *frenulum linguae*
 - ✓ *plica fimbriata*
 - ✓ *plica sublingualis*
 - ✓ *caruncula sublingualis*



Franz Joseph Gall
(1758-1828)




*phrenology
today*



Phrenology

Gr.: φρήν, *phrēn*, “mind” + λόγος, *logos*, “knowledge”

the science which studies the relationships between a person's character and the morphology of the skull




27 brain regions = 27 “brain organs”



ADAM.

Head vs. body



"Try to get less exercise."

Thank you ...

Prof. Dr. Nikolai Lazarov